



Electroplating Grinding Head
Φ20mm-Φ70mm



Sintered Straight Shank Grinding Head
Φ20mm-Φ80mm



Sintered Straight Shank Grinding Head
(Excavation of water holes)
Φ20mm-Φ80mm



Thread Grinding Head
Φ20mm-Φ81mm



Connector
L45, L65, L75



Cooper Water Connector
Yihai M19



Cooper Water Connector
Linshi style M16



White Steel Jade Gravel
Φ200*120#



Tempered Lamp



Imported Tempered Lamp



Water Soluble Tempered High
Temperature Ink - White 2kg /bucket



Water Soluble Tempered High
Temperature Ink - Black 2kg /bucket




Thinner
1kg/bucket, only suitable for our
company's water soluble tempered high
temperature ink



Low Temperature Ink
includes 0.5kg hardener + thinner +
1kg white ink 1kg/bucket



Low Temperature Ink
Includes 0.5kg hardener + thinner +
1kg black ink 1kg/bucket



CCC Printing Plate
20*20



Printing Plate Scraper
5CM



Glass Repair Fluid
S-2-30 laminated glass repair
fluid 250ml *1



Stitching knife
Clean up the residual glue of
laminated glass



Wet Laminated Clip
suitable for 5+5 6+6



Hard Edge Strip
1.52mm thickness
1.98kg/roll * 60cm width



Soft Edge Strip
1.52mm thickness
1.98kg/roll * 60cm width



Wet Clamping Tape (Hard)

Wet Clamping Tape (Hard):
3cm 84rolls/box, for 5+5 glass,
50m/roll
3.8cm 60rolls/box, for 5+5, 6+6
glass, 50m/roll
5cm 48rolls/box, for 8+8,
10+10 glass, 50m/roll
7cm 33rolls/box, for 12+12 or
glass with punched holes,
50m/roll



Wet Clamping Tape (Soft)

Wet Clamping Tape (Soft):
3cm 35rolls/box, for 5+5 glass,
150m/roll
3.8cm 30rolls/box, for 5+5, 6+6
glass, 150m/roll



Diamond Wheel
(Rounded Edge / Straight Edge)

Φ100*22(孔)*3mm 180#, 200#
Φ100*22(孔)*4mm 180#, 200#
Φ100*22(孔)*5mm 150#, 180#
Φ100*22(孔)*6mm 150#, 180#
Φ100*22(孔)*8mm 80#, 150#, 240#
Φ100*22(孔)*10mm 80#, 150#, 240#
Φ100*22(孔)*12mm 80#, 150#, 240#
Φ100*22(孔)*15mm 80#, 150#, 240#
Φ100*22(孔)*19mm 80#, 150#, 240#



Wet Glue (004 Basic Type)
Buy 10 get one free



Wet Glue (919 Resin Type)
Buy 10 get one free



Wet Glue (863 Resin Type)
Buy 10 get one free



Wet Glue (Tongdali Resin Type)
Buy 10 get one free



Imported Aramid High Temperature Rope

**Imported Aramid
High Temperature Rope**
6*6 250m/roll
8*3 250m/roll
8*4 250m/roll
10*3 250m/roll
12*3 250m/roll



Tempering Furnace Round Belt

Tempering Furnace Round Belt
φ8mm 100m/roll
φ10mm 50m/roll
Seamless please provide
diameter & perimeter for
quotation



Straight Shank Small Grinding Wheel
D15*95*T8
D15*95*T10



BD polishing wheel

BD polishing wheels
 100*22*15mm
 For 5mm and 6mm glass
 100*22*20mm
 For 8mm and 10mm glass
 100*22*25mm
 For 12mm glass
 100*22*30mm
 For 15mm and 19mm glass



Ogee diamond wheel

Ogee diamond wheel
 100*22*6mm
 80#, 150#, 240#
 100*22*8mm
 80#, 150#, 240#
 100*22*10mm
 80#, 150#, 240#
 100*22*12mm
 80#, 150#, 240#



Parallel circumferential wheel



Parallel circumferential wheel



Milling cutter

Parallel circumferential wheel

100*22*8mm 150#
 100*22*10mm 150#
 100*22*12mm 150#
 XY 100*22*8mm 100#

Milling cutter

16mm*4*L75mm
 18mm*4*L75mm
 XY 14mm*4*L80mm
 XY 20mm*4*L80mm
 ZR 20mm*4*L75mm



Cork pad (with glue)

Cork pad (with glue)
 1.5mm 14.2mm *14.2mm *18m²/crt
 2mm 17mm *17mm *15m²/crt
 3mm 17mm *17mm *10m²/crt
 4mm 17mm *17mm *10m²/crt
 5mm 17mm *17mm *7.225m²/crt



Cork pad (with foam)

Cork pad with foam (cork thickness+1mm foam)

1.5mm(1.5mm cork +1mm foam) 14.2mm *14.2mm *16m²/crt
 2mm(2mm cork +1mm foam) 17mm *17mm *10m²/crt
 3mm(3mm cork +1mm foam) 17mm *17mm *10m²/crt
 4mm(4mm cork +1mm foam) 17mm *17mm *7m²/crt
 5mm(5mm cork +1mm foam) 17mm *17mm *5.78m²/crt



EVA pad

EVA pad

1.5mm:(1.5mmEVA+1mmfoam) 14.2mm *14.2mm *16m²/crt
 2mm:(2mmEVA+1mmfoam) 17mm *17mm *13m²/crt
 3mm:(3mmEVA+1mmfoam) 17mm *17mm *10m²/crt
 4mm:(4mmEVA+1mmfoam) 17mm *17mm *7.225m²/crt
 5mm:(5mmEVA+1mmfoam) 17mm *17mm *5.78m²/crt



Corner repairing cotton

Length:55mm 50pcs/bag
 Length:40mm 100pcs/bag



Corner repairing cotton handle
 40mm / 65mm



Glass protect film

30cm/40cm/45cm/55cm60cm/1m/1.2m/1.5m



Dry type coating removing wheel(standard)



Dry type coating removing wheel(Z)



Dry type coating removing wheel(BJ)

Dry type(standard)
 Φ200*76.2*10mm
 Φ200*76.2*12mm
 Φ200*76.2*15mm

Dry type(Z)
 Φ200*76.2*10mm
 Φ200*76.2*12mm
 Φ200*76.2*15mm
Dry type(N/RN)
 Φ200*76.2*10mm
 Φ200*76.2*12mm
 Φ200*76.2*15mm
 Φ200*76.2*20mm
 Φ200*76.2*25mm

Dry type(BJ)
 Φ150*76.2*10
 Φ150*76.2*12
 Φ150*76.2*15
 Φ200*76.2*10
 Φ200*76.2*12
 Φ200*76.2*15
 Φ200*76.2*18
 Φ200*76.2*20
Dry and water type
 Φ200*76.2*10
 Φ200*76.2*12
 Φ200*76.2*15



Dry type coating removing wheel(N)



Dry type coating removing wheel(RN)



Coating removing wheel(dry&water type)



Waterproof label(A4)

Waterproof label(A4)
 4*11/4*10/5*13
 1000 pages/carton



Waterproof label(roll)

Waterproof label(roll)
 50*30*3000pcs/roll
 Color: White

50*30*3000pcs/roll
 Color: Pink and Green

50*38*3000pcs/roll
 Color: White

50*38*3000pcs/roll
 Color: Pink and Green



Waterproof label(roll)



Hollow glass moving sucker
 With Air TAC pneumatic components



Hollow glass moving sucker
 With SMC pneumatic components



Connector

Connector
 5.5(mm) 50000pcs/crt
 8.5(mm) 30000pcs/crt
 11.5(mm) 20000pcs/crt
 14.5(mm) 15000pcs/crt
 15.5(mm) 15000pcs/crt
 17.5(mm) 15000pcs/crt



Steel fork

Steel fork
 8.5(mm) 5000pcs/crt
 11.5(mm) 5000pcs/crt
 14.5(mm) 5000pcs/crt
 15.5(mm) 5000pcs/crt
 26.5(mm) 5000pcs/crt
 Inquiry



Glue making tool



Spare part for glue making tool



Glue Gun
1/4 13mm



Glue Gun
19*16mm



Glue Gun
19*16mm



Interface



Universal Joint



Triple Valves



U-shape Maxer



Maxer
for Guanghui Glue Machine



Glue Gun



Glue Gun



Mix Glue Stick
Length is 240mm, dia is 12 13 block



Cleaning Glue Machine(for hollow glass)



Portable Inflator



Inflator



Smart Hollow Glass Inflator



Pneumatic Components



32 Group Inflator



Smart High-speed Inflator



Smart Inflator



Detector



Aluminum Strip Folding Machine
for 6A-15A aluminum strip



Rubber Roller(for Washing Machine)
Price according to the size



Brusher for Washing Machine
price according to the size



Flat Glass Plier
8 inch



Glass Breaking Pliers
1# (for glass size within 15mm)
2# (for glass size within 25mm)



Glass Cutter
3-12mm



609 Cutter
3-12mm



609 Cutter
10-19mm



BEIDOU Cutter
6-12mm



BEIDOU Cutter
15-19mm



Cutter
12mm专用



Glass Breaker
for 12mm



603 T Cutter



602 T Cutter



BEIDOU T Cutter

603 T Cutter
600mm,900mm, 1.2m
1.5m 1.8m
603 oilcan(with cutter head)

602 T Cutter
600mm,900mm, 1.2m
1.5m, 1.8m, 2m
603 oilcan (with cutter head)

BEIDOU T Cutter
600mm,900mm
1.2m 1.5m 1.8m 2m

S-20 oilcan(with cutter head)



T Cutter Head
625 M 6-12mm



T Cutter Head
BEIDOU S-10 6-12mm



T Cutter Head
BEIDOU SPS-10 15-19mm



T Cutter head
3-12mm (for 603 T Cutter)



T Cutter Head
6-15mm(for 605 T Cutter)



T Cutter Wheel



Circular Cutter
634 10*15(mm) Dia,2.5m
637 10*10(mm) Dia 0.6m
635 15*15mm Dia 3m
637 10*10mm Dia 1.2mm



Cutting Machine Cutter
Bohle wheel with plastic rest



Cutting Machine Cutter



Circular Cutter Suction Cup



Circular Cutter Head



Cutting Machine Cutter



Cutting Machine Wheel
Bohle Cutter Wheel Dia 4.2



Cutting Machine Wheel
Cutting Wheel 4.0*1.4*1.1



Cutting Machine Cutter



Straight Shank Copper Sleeve



JINGLING Copper Sleeve



JINGLING Copper Sleeve without wheel




ZHANGYANG Copper Sleeve



694 Bearing



Sintering Cutter Disc
100*20*1mm



Microlite Cutting Slice
100*16




Electroplate Cutter Slice
100*20*1mm



Pen-type Cutter
10 pcs/box



TAJIMA Steel Tap
3.5m/5m/5.5m



Bakelite T ruler
0.6m/0.8m/1m/1.2m



Bakelite L Ruler
0.8m/1m/1.2m



Bakelite Triangle Ruler
0.8m/1m/1.2m



Sintering grinding slice
80*16*8 120# 150# 180#



Sintering Grinding Slice
100*16*8 120# 150# 180#



Electroplate Grinding Slice
100*16 100# 120# 150# 180#
100# 120# 150# 180#



Electroplate Grinding Slice
100*16 100# 120# 150# 180#



Resin Grindina Slice
80*16 120# 150# 180#



Polishing Slice Wheel
100*16 220#



Polishing Slice Wheel
100*16 120#




Polishing Slice Wheel
100*16 120#



Woolen wheel for angle grinder
Φ100*16(A)*12(T)



Coating remove wheel for angle grinder
Φ100*16(A)*12(T)



Diamond Abrasive pads
85mm*55mm*120#
120mm*90mm*800#



Polishing



Wrist guard 1
Upper width:28cm, bottom width:36cm
Length: 22cm



Cotton wrist guard(metallic button)
Upper width:28cm; bottom width: 38cm
Length: 27cm



Wrist guard 2
Upper width:28cm; bottom width:36cm
Length: 27cm



Wrist guard denim material



Water proof material wrist guard
Metallic botton
Plastic botton



Wrist guard with thumb in hole
Metallic botton
Plastic botton



Light denim wrist guard
Metallic botton
Plastic botton



Wrist guard with wings
Metallic botton
Plastic botton



Anti-cutting sleeves (grey & black)



Anti-cutting sleeves(grey & white)



4 grades anti-cutting sleeves



5 grades anti-cutting sleeves with rubber



5 grades anti-cutting sleeves with rubber



Anti-cutting sleeves(black)



Arm protector
Cotton material with brass buckles



5 grades anti-cutting gloves



Anti-cutting gloves
#9 #10



Anti-cutting gloves



Gloves 1



Gloves 2



Xingyu gloves



Xingyu anti-cutting gloves(5 grades)



Apron (small)
Denim 50*60cm



Apron (big)
Denim 1.2m



Protection suit
Metallic buckles



Protection suit
Brass buckles; cotton lining



4 grades anti-cutting suit
Jacket Trousers



4级针织天蓝色防割护衣



Anti-cutting neck protector

M:165 、L:170 、XL:175 、XXL:180 、XXXL:185 、XXXXL:190



Safety shoes
8802



Safety shoes
8808



Safety shoes
8866



Safety shoes
8828